SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product Name: Sto Detail Mesh

80919 Product Code: SDS Manufacturer 80919

Number:

Polymer Coated Glass Fiber Mesh Product Use/Restriction:

Manufacturer Name: Sto Corp.

Address: 6175 Riverside Drive, SW

Atlanta, Georgia 30331

(404) 346-3666


(800) 424-9300

General Phone Number: Emergency Phone

Number:

SDS Creation Date: May 27, 2014 SDS Revision Date: May 27, 2014

(M)SDS Format:



HMIS	
Health Hazard	1
Fire Hazard	0
Reactivity	0
Personal Protection	X

SECTION 2 - HAZARD(S) IDENTIFICATION

GHS Pictograms:

GHS Class:

Causes eye irritation Hazard Statements:

Causes skin irritation

Wash hands thoroughly after handling. Wear protective gloves/ **Precautionary Statements:**

protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

WARNING! Irritant. **Emergency Overview:**

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Product Code: 80919

Sto Detail Mesh Revision Date 05/27/2014 Eye: May cause eye irritation when dust is generated or through direct contact.

Skin: Prolonged contact may cause mild irritation and itching.

Inhalation: Mechanical irritation of respiratory tract may occur if dust is inhaled.

Ingestion: Ingestion may cause temporary irritation of the digestive tract. If

symptoms develop consult a physician.

Target Organs: Eyes. Skin. Respiratory system. Digestive system.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	LD 50 LC 50	ACGIH TLV	OSHA PEL	NIOSH REL
Antimony trioxide	1309-64-4	<1%		0.5mg/m3	0.5mg/m3	
Fiber textile, continuous filament glass fiber	65997-17-3		N/A	10mg/m3 total dust 5mg/m3 respirable dust	15mg/m3 total dust 5mg/m3 respirable dust	5mg/m3 total glass dust

SECTION 4 - FIRST AID MEASURES

Eye Contact: Flush with warm running water for 15 min. Do not rub. If irritation

persists, consult a physician.

Skin Contact: Wash with mild soap and running water. Use a washcloth to help

remove fibers. If irritation persists, consult a physician.

Inhalation: Glass fibers may cause mechanical irritation to the mouth, nose and

throat. Remove the person to fresh air.

Ingestion: Unlikely entry route. If symptoms develop consult a physician.

Other First Aid: No special instructions

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: N/A

Auto Ignition Temperature: N/A
Lower Flammable/Explosive
Limit: N/A

Upper Flammable/Explosive

Limit:

N/A

Fire Fighting Instructions: Thermal decomposition of fabric coating may cause irritating smoke

and fumes. See Section 10 special decomposition products

Extinguishing Media: Water, water spray, foam, carbon dioxide, dry chemical

Sto Detail Mesh Revision Date 05/27/2014 Protective Equipment:

Fire fighters should wear appropriate protective equipment including NIOSH approved respirators. As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Ratings:

NFPA Health: 1

NFPA Flammability: 0

NFPA Reactivity: 0

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Spill or Leak: Spills should be cleaned up by vacuum or by a wet sweeping

technique. Do not use compressed air. HEPA filter recommended.

SECTION 7 - HANDLING and STORAGE

Handling: Wear appropriate PPE.

Storage: Store in a dry place away from direct sunlight.

Work Practices: Handle in accordance with good industrial hygiene and safety

practices.

Hygiene Practices: Wash thoroughly after handling.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls:

Use appropriate engineering control such as process enclosures, local exhaust

ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the procedures for selection, training, inspection

and maintenance of the personal protective equipment.

Eye/Face Protection: Wear safety glasses, to minimize eye contact during cutting

operations.

Sto Detail Mesh
Revision Date 05/27/2014
Product Code: 80919
3 of 6

Skin Protection Description: Wear protective cotton gloves and clothing to protect against nuisance

dusts.

Nitrile rubber or natural rubber gloves are recommended. Hand Protection Description:

Respiratory Protection: Where dust levels exceed the TLV, use a NIOSH approved respirator

and PPE against nuisance dusts.

Ventilation: Mechanical ventilation recommended for process machinery where

dust generation is expected

PPE Pictograms:





Exposure Guidelines

Avoid generating dusts and if PEL is exceeded use PPE, barrier creams and suitable clothing to avoid nuisance dusts.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Appearance:	Woven Glass Fabric	Physical State:	Solid	
Boiling Point:	N/A	Solubility in Water:	Insoluble	
Evaporation Rate:	N/A	Specific Gravity:	2.5 (water = 1)	
Freezing Point:	N/A	Vapor Density:	N/A	
Melting Point:	N/A	Vapor Pressure:	N/A	
Molecular Weight:	N/A	Viscosity:	N/A	
Odor:	N/A	% Volatile:	Non-volatile	
pH:	N/A	Static Charge	Can Build Static Charge	

SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable under recommended handling and storage conditions.

Hazardous Polymerization: Hazardous polymerization does not occur.

Product Code: 80919 Sto Detail Mesh Revision Date 05/27/2014

Incompatible Materials: Strong Oxidizers

Special Decomposition

Products:

CO, C02, oxides of Nitrogen, HCI, Antimony oxides, HBr, Br2

SECTION 11 - TOXICOLOGICAL INFORMATION

No known effects Eye:

Skin: May aggravate pre-existing conditions.

Ingestion: No known effects

May aggravate pre-existing conditions. Inhalation:

Subchromic: No established longterm data.

Sensitization: No known effects

Teratology: No known effects

Reproduction: No known effects

Mutagenicity: No known effects

Chronic / Carcinogenicity: IARC has classified Continuous Filament Fiberglass as Group 3, Not

Classifiable as to Human Carcinogenicity. 9th Report on Carcinogens,

NPT, 2001. Antimony trioxide is classed as Group 2B, possible

carcinogen, IARC

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: This product is not associated with or expected to cause any harm to

fish, plants or animals.

Environmental Fate: No environmental information found for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of aas dry waste in accordance with Local, State, Federal and Waste Disposal:

Provincial regulations.

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Product Label: N/A Non regulated

Technical Shipping N/A Freight Class

N/A Name: Package:

D.O.T. Hazard Class: Non regulated D.O.T. Label N/A

U.N / N.A. Number: Freight Class Bulk: N/A N/A

Product RQ (lbs) N/A D.O.T. Placard N/A

SECTION 15 - REGULATORY INFORMATION

WHMIS Class: Not Regulated- Manufactured Article

This product is not deemed hazardous as defined by OSHA 29CFR part **OSHA Status:**

1910.1200.

TSCA Status: This product is manufactured in compliance with TSCA, 15 USC

Not Applicable to this product CERCLA Reportable Quantity:

SARA Title III: This product does contain any substance(s) subject to the reporting

Antimony trioxide, CAS 1309-64-4

requirements of section 313 Title III of the SARA 40 CFR, Part 372

Section 302 Extremely Hazardous Substances:

Section 311/312 Hazardous

Antimony trioxide, Group 2B, possible carcinogen, IARC

Categories

Section 313 Toxic Chemicals: Not Applicable

RCRA Status: Landfill is recommended 40 CFR, Part 261

Canadian Controlled Product

Regulations:

"This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR"

California Proposition 65: This product contains ingredients subject to California Proposition 65.

SECTION 16 - ADDITIONAL INFORMATION

HMIS Health Hazard: 1 HMIS Fire Hazard: 0 HMIS Reactivity: n

HMIS Personal Protection: Χ

SDS Creation Date: May 27, 2014 SDS Revision Date: May 27, 2014

The information and recommendations contained herein are, to the Disclaimer:

best of Sto Corp.'s knowledge and belief, accurate and reliable as of the date issued. Sto Corp. does not warrant or guarantee their accuracy or reliability, and Sto Corp. shall not be liable for any loss or

damage arising out of their use thereof. The information and recommendations are offered for the users' consideration and

examination, and it is the users' responsibility to satisfy itself that they

are suitable and complete for its particular use.

Product Code: 80919 Sto Detail Mesh Revision Date 05/27/2014 6 of 6